



Nexion
ITALIAN STYLE THAT INSPIRES

— Endless



Index

Endless

Intro

- 2** Nexion's Essence
- 4** Overview

Endless Spaces

- 6** Nero
- 10** Grigio
- 14** Bianco
- 18** Taupe
- 22** Beige
- 26** Avorio

Endless Collection

- 30** The collection
- 32** Technical info



Nexion's Essence

WHERE TECHNOLOGY AND IMAGINATION BLEND

People aspire to live in spaces where aesthetics and functionality are “world-class”; but for them the dream of enjoying the beauty of **Italian architecture** and interior design is difficult to realize.

The **sophisticated aesthetics** and outstanding quality of **Italian design** comes from the richness and variety of the architecture inherited from a history spanning hundreds and hundreds of years.

We believe that our imagination and pragmatism can bridge Italy and India and make **Italian exclusive surface designs** and materials available to those people who aspire to make the **best out of their lives**.

We are where **creativity meets material science**, where technology and imagination blend, transforming natural elements into artifacts of innovative design.

We are change agents, we understand the challenges of **turning remarkable designs into reality** and we know how to partner with others to realize innovative and beautiful projects.

Our aim is to **inspire visionaries** and help them to turn their visions into reality.

We want to be part of the future, helping to transform the world for a better living.





The Endless collection draws its inspiration from the extraordinary expressive power of concrete and stands out for a wide range of sizes that increase designs' potential. Strong shade variation, sharp patterns and a high tactile vocation transmit a vibrant and modern atmosphere to interiors.

Endless

Concrete simplicity



6 Colours

6 colours to capture concrete's elegant energy in its various forms.



NERO - GRIGIO - BIANCO

AVORIO - BEIGE - TAUPE

7 Sizes


7 sizes to exploit all architectural and creative potential.

thickness **9 mm**

thickness **6 mm** 120x240 cm *



120x240 cm
* on request



120x120 cm



60x120 cm



80x160 cm



80x80 cm



60x60 cm



30x60 cm




Metropolitan living room

Floor tile:
Endless Nero 120x240 cm
F14ENCKONRO

Wall tile:
Endless Bianco 120x240 cm
F14ENCAONRO





Relaxing spa

Floor/wall tile:
Endless Nero 80x80 cm
F80ENDKONRO







Modern dining room

Floor tile:
Endless Grigio 80x80 cm
F80ENDGONRO



Minimal bathroom

Floor tile:
Endless Nero 60x60 cm
F60ENDKONRO

Wall tile:
Endless Grigio 120x240 cm
F14ENCGONRO







Contemporary living room

Floor tile:
Endless Bianco 80x160 cm
F86ENDAONRO





Cozy studio

Floor tile:
Endless Bianco 120x120 cm
F12ENDAONRO







Lively living space

Floor tile:
Endless Taupe 80x160 cm
F86ENDFONRO



Elegant hotel

Floor tile:
Endless Avorio 80x160 cm
F86ENDB1NR0

Wall tile:
Endless Taupe 80x160 cm
F86ENDF0NR0







Luminous living room

Floor tile:
Endless Beige 80x80 cm
F80ENDBONRO





Welcoming waiting room

Floor tile:
Endless Beige 120x120 cm

F12ENDBONRO

Endless Taupe 60x60 cm

F60ENDFONRO

Wall tile:

Endless Beige 80x160 cm

F86ENDBONRO





Elegant living room

Floor tile:
Endless Avorio 80x80 cm
F80ENDB1NR0

Wall tile:
Endless Taupe 80x160 cm
F86ENDF0NR0





Industrial office space

Floor tile:
Endless Taupe 120x240 cm
F14ENCFONRO

Wall tile:
Endless Nero 120x240 cm
F14ENCKONRO





Endless

Rectified porcelain stoneware - Full-body coloured porcelain stoneware



120x240 cm
F14ENCKONRO Nero



120x240 cm
F14ENCAGONRO Grigio



120x240 cm
F14ENCAONRO Bianco



120x120 cm
F12ENDKONRO Nero




120x120 cm
F12ENDGONRO Grigio



120x120 cm
F12ENDAONRO Bianco



80x160 cm
F86ENDKONRO Nero



80x160 cm
F86ENDGONRO Grigio



80x160 cm
F86ENDAONRO Bianco



60x120 cm
F62ENDKONRO Nero



60x120 cm
F62ENDGONRO Grigio



60x120 cm
F62ENDAONRO Bianco



80x80 cm
F80ENDKONRO Nero



80x80 cm
F80ENDGONRO Grigio



80x80 cm
F80ENDAONRO Bianco



60x60 cm
F60ENDKONRO Nero



60x60 cm
F60ENDGONRO Grigio



60x60 cm
F60ENDAONRO Bianco



30x60 cm
F63ENDKONRO Nero



30x60 cm
F63ENDGONRO Grigio



30x60 cm
F63ENDAONRO Bianco

Nominal	Thickness	Box type	Pcs. x box	Sq. mt x box	Weight x box (Kg)	Box x pallet	Sq. Mts x pallet	Pallet weight
120x240	9	Loose	1	2,87	60,33	15	43,10	905,00
120x240	6	Loose	1	2,87	40,20	22	63,21	884,40
120x120	9	Carton	1	1,44	30,14	30	43,05	904,05
80x160	9	Carton	1	1,275	26,775	40	51,00	1071,00
60x120	9	Carton	2	1,43	30,09	38	54,45	1143,53
80x80	9	Carton	2	1,27	26,75	40	50,96	1070,16
60x60	9	Carton	3	1,07	22,53	40	42,92	901,32
30x60	9	Carton	6	1,07	22,45	40	42,76	897,96



thickness **9 mm**
thickness **6 mm** 120x240 cm - On request



120x240 cm
F14ENCB1NRO Avorio




120x240 cm
F14ENCBONRO Beige



120x240 cm
F14ENCFONRO Taupe



120x120 cm
F12ENDB1NRO Avorio



120x120 cm
F12ENDBONRO Beige



120x120 cm
F12ENDFONRO Taupe




80x160 cm
F86ENDB1NRO Avorio




80x160 cm
F86ENDBONRO Beige




80x160 cm
F86ENDFONRO Taupe




60x120 cm
F62ENDB1NRO Avorio




60x120 cm
F62ENDBONRO Beige




60x120 cm
F62ENDFONRO Taupe



80x80 cm
F80ENDB1NRO Avorio




80x80 cm
F80ENDBONRO Beige



80x80 cm
F80ENDFONRO Taupe



60x60 cm
F60ENDB1NRO Avorio



60x60 cm
F60ENDBONRO Beige



60x60 cm
F60ENDFONRO Taupe



30x60 cm
F63ENDB1NRO Avorio



30x60 cm
F63ENDBONRO Beige




30x60 cm
F63ENDFONRO Taupe


Nominal Size cm	Actual Size cm
120x240	119,8x239,8
120x120	119,8x119,8
80x160	79,8x159,8
60x120	59,8x119,8
80x80	79,8x79,8
60x60	59,8x59,8
30x60	29,8x59,8

Endless


Installation suggestions




120x120	66,7%
60x120	33,3%




120x120	44,4%
60x120	22,2%
60x60	22,2%
30x60	11,1%




60x120	57,1%
60x60	28,6%
30x60	14,3%




60x120	57,1%
60x60	28,6%
30x60	14,3%



80x80	33,3%
80x160	66,7%



120x120	57,1%
60x120	28,6%
60x60	14,3%



120x240	57,1%
120x120	28,6%
60x60	14,3%

ISO 13006: Annex G - EN 14411: Annex G. Dry - Pressed Ceramic Tiles.

	TECHNICAL FEATURE	STANDARD METHOD ISO	REQUIREMENTS		NEXION Values			
					Side < 1200 mm		Side ≥ 1200 mm	
DIMENSIONS AND SURFACE QUALITY	LENGH AND WIDTH	UNI EN ISO 10545-2	%	mm	%	mm	%	mm
			±0,6%	±2,0	±0,2%	±2,0	±0,1%	±1,5
	THICKNESS		±5%	±0,5	±5%	±0,5	±4%	±0,36
	STRAIGHTNESS OF SIDES		±0,5%	±1,5	±0,2%	±1,5	±0,1%	±1,5
	RECTANGULARITY		±0,5%	±2,0	±0,33%	±1,5	±0,1%	±1,5
	FLATNESS		±0,5%	±2,0	±0,26%	±1,5	±0,2%	±1,5
	SURFACE QUALITY		A minimum of 95% of the tiles shall be free from visible defects that would impair the appearance of a major area of tiles.		COMPLIANT			
PHISICAL PROPERTIES	WATER ABSORPTION	UNI EN ISO 10545-3	E _b ≤ 0,5% Individual maximum : 0,6%		E _b ≤ 0,2%			
	BREAKING STRENGTH	UNI EN ISO 10545-4	Min 1300 N		≥ 2000 N			
	MODULUS OF RUPTURE		R ≥ 35 N/mm² minimum 32 Not applicable to tiles with breaking strength ≥ 3000 N		R ≥ 45 N/mm² minimum 40 Not applicable to tiles with breaking strength ≥ 3000 N			
	FROST RESISTANCE	UNI EN ISO 10545-12	REQUIRED		COMPLIANT			
	SCRATCH HARDNESS (Mohs scale)	EN 101	Min 6		COMPLIANT			
	SURFACE ABRASION	UNI EN ISO 10545-7	0 (100 cycles) 1 (150 cycles) 2 (600 cycles) 3 (1500 cycles) 4 (6000 cycles) 5 (> 12000 cycles)		5			
	COEFFICIENT OF LINEAR THERMAL EXPANSION FROM AMBIENT TEMPERATURE TO 100° C (K ⁻¹)	ISO 10545-8	REQUIRED		6 x 10 ⁻⁶ K ⁻¹ max			
	CRAZING RESISTANCE	ISO 10545-11	REQUIRED		COMPLIANT			
	RESISTANCE TO THERMAL SHOCK	ISO 10545-9	10 CYCLES Min		COMPLIANT			
	IMPACT RESISTANCE	ISO 10545-5	Min 0,55		COMPLIANT			
BULK DENSITY	DIN 51082	2,2 g/cc Min		COMPLIANT				
CHEMICAL PROPERTIES	RESISTANCE TO STAINING	UNI EN ISO 10545-14	Minimum Class 3		5			
	RESISTANCE TO CHEMICALS	UNI EN ISO 10545-13	Minimum UB		GA			
	TO HOUSEHOLD CHEMICALS AND SWIMMING POOL SALTS							
	TO HIGH AND LOW CONCENTRATIONS OF ACIDS AND ALKALIS		To be reported		GLA - GHA			
	SLIP RESISTANCE	DIN 51130			R10			
		DIN 51097			B (A+B)			

ALL THE TEST ARE CARRIED OUT BY ITALIAN LABORATORIES ACCREDITED ACCORDING TO ISO/IEC 17025:2005

